

No.MSPGCL/AGM-HR-RC/02/2022/ **No - 9 635**

Date: **13 OCT 2022**

Subject: Regarding "Eligible" & "Not Eligible" candidates list for Assessment Centre Test for the post of "Dy. Chief Engineer".

Reference:- MSPGCL Advt. No. 01/2022.

As per the approval of the Competent Authority, MSPGCL an Advt. No. 01/2022 for the post of "Dy. Chief Engineer" on regular basis was issued. Accordingly, the applications were received from the candidates. Based on the information furnished by the candidates and the pre-requisites mentioned in the above Advertisement, the list of "Eligible" and "Not Eligible" candidates is prepared.

Further, for the eligible candidates an Assessment Centre Test will be conducted on 30.10.2022. The information regarding the details of Assessment Centre Test and hall ticket will be displayed on website in due course of time.

***Note:** Candidates are short listed for Assessment Centre Test on the details mentioned in the application & documents enclosed with the application submitted, the detailed verification of which will be carried out in due course.

Candidates **Eligible and short listed for Assessment Centre Test** for the post of "Dy. Chief Engineer"

Candidates stood **NOT ELIGIBLE** for the post of "Dy. Chief Engineer"

B. Y Manta

(B. Y Manta)

Executive Director (HR)