



Ref. No.CE/NTPS/RMC/e-Tender/SRM/2025-26/54

Date:

15 NOV 2025

No 07129

To,
M/s. Blaze Media Services.
Head Office No. R-1 & R-2, 2nd Floor,
Dream Mini Market, Opp. St. Philomena School,
Jail Road, Nashik Road,
Nashik - 422 101.
E-Mail:- blazemedia.services@gmail.com
blazecreation990@gmail.com
Mobile No. : +91 99605 20736.

Sub: -Publication of e-Tender Notice: -N-2025-26/54

Ref: -1. CP&C/PRO/WO/Appointment/ Advt. Agency/2025-27/DGIPR-DAVP-Govt. Rates/234/7148, dtd. 11/08/2025
2. CPC/PRO/Advt. Names/2025/203/293 Date : 30/10/2025

Dear Sir,

With reference to above, please find enclosed herewith a copy of the **Tender notice no. N-2025-26/54** for publication in following newspapers,

1. TIMES OF INDIA: MUMBAI, PUNE, DELHI
2. SAKAL: NASHIK, PUNE
3. LOKMAT: AKOLA, NAGPUR
4. NAVBHARAT: MUMBAI, NASHIK
5. PUNYANAGARI: THANE
6. AAPLA MAHANAGAR: MUMBAI, NASHIK

Please insert the enclosed **Tender Notice** in the next immediate issue of your daily but in no case after the
Date: - 07/11/25 as per instructions given below:

Thanking you,

Yours faithfully,


CHIEF ENGINEER
NTPS, EKLAHARE

Enclosure: As above.

Copy f.w.cs. To: (By E-mail)

The Chief Engineer (O&M),

MSPGCL – Koradi, Nagpur / Bhusawal / Chandrapur / Parli / Khaperkheda / Paras / Pophali

Copy to : (By E-mail)


1. NTPS, Intramail
2. Sr. Manager F&A (NTPS)
3. Nashik Training Centre, Nashik
4. on www.mahagenco.in
5. Public Relation Officer, MAHAGENCO, Prakash Garh, Bandra, Mumbai
6. Weekly Tender Information Bureau, 8, Wankdi Building, Parel Tank Road, Parel Village, Mumbai.
7. Other Private/ Government Power Plant/ State Electricity Boards (NTPC/TATA Power, Madhya Pradesh Power Generating Co. Ltd., GSECL/Gujrat Electricity Board (GEB) etc

*** With a request to arrange to display the enclosed tender Notice on your office Notice Board.

e-TENDER No. NTPS/2025-26/54


Sr. No	RFx NO. / SECTION	TENDER SPECIFICATION	ESTIMATE RS. EMD RS.
1	3000062818	Work of dismantling of 908 residential quarters (111 buildings) of all types & one market building including Buy back serviceable material & debris	4,50,35,182/-
	Civil		4,53,860/-
New vendors/ vendors not register are requested to register their firms for e-tendering. For more details log on to website. Cost of Each Tender: -Rs.1180/- , Pl. visit at: https://eprocurement.mahagenco.in for more information & updates. Chief Engineer, Nashik TPS			

.....The matter below this line is not to be published.....


Chief Engineer,
NTPS, Eklahare

अ. क्र.	निविदा क्र. / विभाग	निविदा तपशील	अंदाजे रक्कम(रु.) इसारा रक्कम (रु.)
१	३००००६२८१८ सिव्हिल	ना.औ.वि.केंद्र एकलहरे येथील सर्व प्रकारचे ९०८ निवासी गाळे (१११ इमारती) आणि एक मार्केट बिल्डिंग, सेवा योग्य साहित्य आणि मोडतोड साहित्य खरेदी करून नष्ट करण्याचे काम.	४,५०,३५,१८२/- ४,५३,८६०/-
नविन विक्रेते / नोंदणी नसलेल्या विक्रेत्यांना विनंती आहे की त्यांनी त्यांच्या कंपनीची ई-टेंडरिंगसाठी नोंदणी करावी. अधिक तपशीलांसाठी वेबसाइटवर लॉग इन करा. प्रत्येक निविदा किंमत रु. ११८०/- , अधिक माहिती व अद्यतनांसाठी कृपया https://eprocurement.mahagenco.in येथे भेट द्यावी. मुख्य अभियंता, नाशिक औ.वि.केंद्र, एकलहरे			

या रेपेखालील बाब/माहिती प्रकाशनाकरिता नाही.....


मुख्य अभियंता,
नाशिक औ.वि.केंद्र



Ref. No.CE/NTPS/RMC/e-Tender/SRM/2025-26/55

Date:

6 NOV 2025

05713

To,
M/s. Giri Media Services Pvt. Ltd.,
205/206, 2nd Floor, Benchmark,
Shri Shri Ravi Shankar Marg,
Nr. DGP Nagar,
Nashik-422006
Contact No. 253-2501585
E-Mail:-response@girimedia.in

Mobile No. :9763133550

Sub: -Publication of e-Tender Notice: -N-2025-26/55

Ref: - T.O. Ref No. CE/NTPS/RMC/4550024112/No.05571 Date: -14/10/2024

Dear Sir,

With reference to above, please find enclosed herewith a copy of the **Tender notice no. N-2025-26/55** for publication in following newspapers,

1. SAKAL, NASHIK
2. LOKSATTA, PUNE
3. DESHONNATI, AKOLA
4. LOKMAT SAMACHAR, AURANGABAD
5. TARUN BHARAT, JALGAON
6. KOKAN SAKAL, MUMBAI


Please insert the enclosed **Tender Notice** in the next immediate issue of your daily but in no case after the Date: - 09/11/25 as per instructions given below:

1. The Advertisement shall be printed in English or Marathi Language only.
2. The size of the MSPGCL's (MAHAGENCO) emblem should be only 2.5 cm in width for both single column and for more columns.
3. For single column the Company's emblem should be invariably printed at the top in the centre of the advertisement and for double or more columns it should be invariably printed at the left-hand corner at the top of the advertisement.
4. In case of single column advertisement, the Heading such as "Tender Notice/ corrigendum" & "Tender Specification NO." Should be displayed invariably below the emblem.
5. In case of double or more column advertisement, the Heading such as "Tender Notice/ Corrigendum" & "Tender specifications NO." Should be displayed invariably at the right side of the emblem.
6. Mostly the advertisement should be published in single column only and if found necessary then only it should be published in more than single column.
7. The advertisement shall occupy minimum possible space and should be printed as per the given format only. If found the space is increased unnecessarily, then the amount of increased space will be deducted from your bill.
8. The text matter of the advertisement should be printed in 6 or 8 points for English & 10 points for Marathi only and in no case, it should exceed 10 points for English and 12 points for Marathi.

9. Spacing/ leading while printing the text matter of the advertisement shall be kept minimum. Spacing between two paragraphs shall also be kept minimum.
10. Only one insertion is envisaged.
11. a) Office address of the undersigned shall not be printed either at the top or bottom as the same is incorporated in the text matter & also in case of the emblem of the Company.
b) The word "Maharashtra State Power Generation Co Ltd." Shall not be printed anywhere even at the top or bottom as it is present in the emblem.
c) For no reason Telex No/ Telephonic address/ Telephone Number & Name of Office shall not be printed.
- 12. Please note that if the MSPGCL's (MAHAGENCO) Emblem is not printed as per the size given and if printed smaller, bigger, inclined, or toppled etc. then it will be treated as not printed and a penalty of Rs.500/- will be deducted from your bill.**
13. Bills in triplicate for the advertisement shall be submitted to this office along with following documents to release the payments at the earliest.
a) Two copies of your issue in which the advertisement is published.
b) One copy of your daily or e-paper (by mail) in which the advertisement has appeared may please be sent immediately for verification and to issue corrigendum if necessary.
14. The advertise is to be published in minimum possible space.

Thanking you,

Yours faithfully,


CHIEF ENGINEER
NTPS, EKLAHARE

Enclosure: As above.

Copy f.w.cs. To: (By E-mail)

The Chief Engineer (O&M),

MSPGCL – Koradi, Nagpur / Bhusawal / Chandrapur / Parli / Khaperkheda / Paras / Pophali

Copy to : (By E-mail)

1. NTPS, Intramail
2. Sr. Manager F&A (NTPS)
3. Nashik Training Centre, Nashik
4. on www.mahagenco.in
5. Public Relation Officer, MAHAGENCO, Prakash Garh, Bandra, Mumbai
6. Weekly Tender Information Bureau, 8, Wankdi Building, Parel Tank Road, Parel Village, Mumbai.
7. Other Private/ Government Power Plant/ State Electricity Boards (NTPC/TATA Power, Madhya Pradesh Power Generating Co. Ltd., GSECL/Gujrat Electricity Board (GEB) etc

***With a request to arrange to display the enclosed tender Notice on your office Notice Board.

e-TENDER No. NTPS/2025-26/55

Sr. No	RFx NO. / SECTION	TENDER SPECIFICATION	ESTIMATE RS. EMD RS.
1	3000062838 TM	Supply of Spares for PCR AC Plant & Compressor (Type-SMC-4-100, R-22 Series) at TM-II	9,41,430/- 12,915/-
2	3000062954 Civil	Work of Laying separate drinking water G.I. pipeline from Darana pump house stage-I to Canteen at Stage-II	4,32,797/- 7,830/-
3	3000062952 Civil	Work of Strengthening roof shed and repairing old brick wall of Alum godown & Salt godown near Clarifier No.3 WTP at Stage-II	19,93,365/- 23,440/-
4	3000062985 BM	Work contract for Removal, Providing and application of thermal insulation at Unit no. 4 & 5 air pre-heater air outlet duct & casing, Secondary air duct connecting to wind box, ID fan discharge ducts, Eco outlet ducts and other boiler side areas.	47,51,540 51,015/-
5	3000062834 CHP	Work of providing and fixing of conveyor sealing system for various conveyor belts in CHP	2,16,70,000/- 2,20,200/-


New vendors/ vendors not register are requested to register their firms for e-tendering.

For more details log on to website.

Cost of Each Tender: -Rs.1180/- , Pl. visit at: <https://eprocurement.mahagenco.in> for more information & updates.

Chief Engineer, Nashik TPS

.....The matter below this line is not to be published.....



Chief Engineer,
NTPS, Eklahare

इ-निविदा सूचना क्र.ना.औ.वि.कें/२०२५-२६/५५

अ. क्र.	निविदा क्र. / विभाग	निविदा तपशील	अंदाजे रक्कम(रु.) इसारा रक्कम (रु.)
१	३००००६२८३८ टीएम	पीसीआर ए.सी. प्लांट व कॉम्प्रेसरच्या (प्रकार-एसएमसी-४-१००,आर -२२ सेरीज) स्पेअर्सचा पुरवठा.	९,४१,४३०/- १२,९१५/-
२	३००००६२९५४ सिव्हिल	दारणा पंप हाऊस स्टेज १ पासून स्टेज २ मधील कॅटीनपर्यंत स्वतंत्र पिण्याच्या पाण्याच्या पाईपलाइनचे काम.	४,३२,७९७/- ७,८३०/-
३	३००००६२९५२ सिव्हिल	सिव्हिल स्टेज २ येथील क्लारिफायर क्र. ३ जवळील अलम गोदाम आणि मीठ गोदामाचे छप्पर मजबुतीकरण व जुना विटांची भिंत दुरुस्तीचे काम.	१९,९३,३६५/- २३,४४०/-
४	३००००६२९८५ बिएम	युनिट क्र. ४ आणि ५ ला एअर प्रि-हिटर एअर आउटलेट डक्ट आणि केसींग विंड बॉक्सला जोडणारा सेकंडरी एअर डक्ट, आयडी फॅन डिस्चार्ज डक्ट, इको आउटलेट डक्ट आणि इतर बायलर साईड एरिया येथे थर्मल इन्सुलेशन काढणे, पुरवणे आणि लागू करणे यासाठी कामाचा करार.	४७,५१,५४०/- ५१,०१५/-
५	३००००६२८३४ सीएचपी	सीएचपी मध्ये विविध कन्वेयर बेल्टसाठी कन्वेयर सीलिंग सिस्टीमचा पुरवठा करणे आणि बसविण्याचे काम.	२,१६,७०,०००/- २,२०,२००/-

नविन विक्रेते / नोंदणी नसलेल्या विक्रेत्यांना विनंती आहे की त्यांनी त्यांच्या कंपनीची ई-टेंडरिंगसाठी नोंदणी करावी.

अधिक तपशीलांसाठी वेबसाइटवर लॉग इन करा.

प्रत्येक निविदा किंमत रु. ११८०/- , अधिक माहिती व अद्यतनांसाठी कृपया <https://eprocurement.mahagenco.in> येथे भेट द्यावी.

मुख्य अभियंता, नाशिक औ.वि.केंद्र, एकलहरे

.....या रेफेरालील बाब/माहिती प्रकाशनाकरिता नाही.....

०५.११.२५
मुख्य अभियंता,
नाशिक औ.वि.केंद्र