

E-AUCTION NOTICE (Corrigendum)

Notice for e-Auction sale of 80% Pond Ash at Paras TPS. MAHAGENCO is looking for firms willing to purchase the Pond Ash at Paras Thermal

Power Station for financial year 2025-26 by way of e-auction sale.

Power Station for financial year 2025-26 by way of e-auction sale.	
Estimated quantity (MT)	7,77,201 MT
Estimated Rate (Rs/MT)	Rs 419/- per MT
Earnest Money Deposit (EMD)	Rs 50,000/-
Period of Registration with MSTC	30/04/2025 to 19/05/2025
Uploading of documents	02/05/2025 to 20/05/2025
Scrutiny of Documents	21/05/2025 to 28/05/2025
Calling of Discrepancy & correct documents of eligible agencies through E-mail	29/05/2025 to 05/06/2025
Making Bidders eligible for auction and intimating for depositing PRE BID EMD	06/06/2025 to 12/06/2025
Uploading list of qualifying agencies	13/06/2025 to 16/06/2025
Date and Time of e-Auction	19/06/2025 from 14.00- 16.00 Hrs
Key Contact Personnel & Contact details:	
Auctioneers for MSPGCL (for queries related to registration with e-auction portal, transfer of payments)	M/s. MSTC Ltd., Mumbai • Miss Pranali Tel: 02235134240, • Mr. Shishupal Yadav, Mobile: 8826562675, e-mail: wroopn6@mstcindia.in
Paras TPS (for queries related to site visit, document scrutiny, material, contract execution, deliveries, invoices)	Shri. Harish kumar Dhanorkar, Executive Engineer (Ash Utilisation), Mobile No.9881277800 Shri Dhananjay M Pandhade, Dy. Chief Engineer (Admin), Mobile No. 8956936403
E 41 1 4 11 11 11 11 11	

Further details are available

on www.mstcindia.co.in, www.mstcecommerce.com, www.mahagenco.in

Chief Engineer Paras TPS

-----The matter below this line is not to be published-----

AMENDED QR AND TERMS & CONDITIONS

(As on date 21.02.2025)

E -auction of Pond ash

A. Qualifying Requirement

- 1. The minimum annual turnover of Bidder during any of the last three years should be Rs. 1 crores.
- 2. Bidder should have experience of working in Ash handling/ash lifting.
- 3. Bidder should have at least One JCB/Pock lain machines (owned/hired), one water tanker (owned/hired) of minimum 20,000 liter capacity, one four wheeler vehicle for patrolling (owned/hired). All machines/vehicles (owned/hired) shall have valid RTO registration
- 4. Bidder should have PAN and GST certificate of business.
- 5. The lead bidder may form consortium with max. 3 no of other agencies to fulfill qualifying criteria.

Note:-

- 1. Q.R. of ash handling and turnover is not applicable to bidders like local affected Gram panchayat/local bodies.
- 2. Q.R. of turnover is not applicable to Local agencies located within 50 KM radius of respective TPS

B. Scope of Work

- Deployment of one JCB/Pock lain machines (owned/hired), one water tanker of mini 20,000 liter capacity (owned/hired), one four wheeler vehicle for patrolling (owned/hired). All machines/vehicles (owned/hired) shall have valid RTO registration.
- 2. Scientific excavation of pond ash from ash so as to avoid formation of water bodies in bund.
- 3. Leading of trucks/bulkers/vehicles with pond ash along with proper tarpaulin as to avoid spillage of pond ash on road.
- 4. Deployment of engaged labours as well as proper security guard for execution of the assigned work.
- 5. Assistance in proper movement of vehicles (Bulkers, trucks, tractors etc) in and out of the ash bund of TPS.
- 6. Compliance of all pollution norms as prescribed by MPCB/CPCH/RTO etc as far as loading and transportation of pond ash is concerned. If any damages happens to MAHAGENCO properties, agency shall be held wholly responsible for the same and damages will be recovered from the agency.
- 7. Weekly cleaning of spilled ash on ash bund approach roads.
- 8. Proper monitoring and keeping watch round the clock (24*7) at ash bund so as to avoid any malpractices.

- 9. Maintaining record of the pond ash lifting vehicles on daily basis with details such as:
- i. Name of agency
- ii. Vehicle/truck No
- iii. Capacity of vehicle/truck/bulker (MT)
- iv. Pond ash lifted quantity (MT)
- v. Payment mode: cash/online etc.
- 10. Submission of pond ash lifting record containing all details mentioned at Sr.No.4 to TPS on daily basis
- 11. To sprinkle water on approach roads and in ash bund as per the instructions received from TPS officials
- 12. Patrolling of ash bund to prevent theft of material and inform the same to security of TPS immediately if any such incidence happens.
- 13. Prevention of excavation of pond ash by unauthorized agencies/persons.
- 14. Developing Ash bund surrounding area by means of Tree plantation, gardening etc
- 15. In one year maximum 200 trips for spraying of water will be instructed by TPS as per requirement. The bidder has to make its own arrangements for spraying of water.
- 16. All qualifying bidders who matches with the rate of H1 bidder shall be allotted the proportionate of their bidding quantity.
- 17. Proper demarcated area of pond will be allocated to bidders for ash disposal/transportation. Chief Engineer (Civil-III) in coordination with civil departments of respective TPS will be responsible for proper demarcation of ash pond allocated to bidders for ash disposal. Chief Engineer (Civil-III) will also ensure that proper roads/routes shall be provided to the demarcated area of ash pond allocated to bidders before awarded work to successful bidders.
- 18. Maintenance and repair of roads shall be in the scope of agency after the placement of order.

C. Terms and Conditions

- 1) **Contract period :-** One year from the date of issue of order
- 2) **Security Deposit:-** Rs. 10 Lakh to H1 bidder & proportional to other successful bidders who matches with H1 as per their quantity allotment
- 3) **EMD**:-EMD of Rs.50000/-
- 4) **Penalty:**-If any agency fails to lift 80% of allotted quantity of pond ash, Penalty for Short Lifting at rate of Rs.10/MT for non-lifted quantity to be calculated quarterly.
- 5) Agency shall have to dispose of 50% of monthly allotted quantity given by TPS consecutively for the period of three months, failing which his order will be terminated and the same quantity shall be offered to other successful bidders as per ranking.